### TRUMBULL CENTER FIRE DISTRICT

860 WHITE PLAINS ROAD



TRUMBULL, CONN. 06611

# Meeting Minutes June 5, 2024

# **Opening:**

The regular meeting of the Trumbull Center Fire District was called to order at 7:00pm, by Chairman Riggs.

# **Members Present:**

- o Ed Riggs, Chairman
- o Alex Relkin, Commissioner
- o Tom Dufficy, Commissioner
- o Sandra Mulligan, Tax Collector

- o Rich Gregory, Chief
- o Kevin Mulligan, Asst Chief
- o Dave Tiago, Maintenance

#### **Others Present:**

o Abby Relkin

# A. Approval of Agenda

The agenda was unanimously approved as distributed.

## B. Approval of Minutes

The minutes of the previous meeting were corrected and unanimously approved as distributed.

## C. Budget and Tax Report

The budget and tax reports were reviewed and unanimously accepted as presented.

## D. Open Issues and New Business

#### Tom Dufficy:

- Station 1: floor in radio room is near completion. Carpeting in rec room, on Monday. Construction project going well. New/replacement door has arrived. Brickwork is done. Second installment, from the bill from Bismark, was received (\$61K).
- There are upcharges for ceiling tiles, new lighting, and cabling for second workstation.
- There is a new firefighter's coat at Station 1. Not sure who it belongs to. Chief will inquire.

## TRUMBULL CENTER FIRE DISTRICT

860 WHITE PLAINS ROAD



TRUMBULL, CONN. 06611

#### Dave Tiago:

- Meeting with landscaper. Suggests decorative stone instead of mulch in front of Station 1 (\$2K).
- Floors getting done on Monday.
- Damage from dropped skylight will be paid for by the skylight installation company.
- Power washing quote for both Stations: (bldg., walkway, patio area, roof) \$3200 for Station 1, \$630 for Station 2. To be done once construction is complete. APPROVED
- Cleaning person will be working on Tuesdays.

#### Alex Relkin:

- ERV 3 back in service.
- 102 A/C has been repaired.
- Pricing for polishing of trucks, \$5K. APPROVED
- Steam power washer, up to \$6K. APPROVED

### Rich Gregory:

- Brush equipment request \$6K. APPROVED
- Hose replacement(s) \$2600.
- Chimney fire kit, \$2K. APPROVED
- Gloves. APPROVED
- Training \$350. APPROVED
- Gas sniffers 5 @ 150 each. APPROVED
- 4 cameras for ERVs \$3200. APPROVED
- 5 Hydrogen cyanide meters, \$4000. APPROVED
- Board meeting last night: inquired regarding tax abatement from the town.
- Funeral procedures are being revisited and updated. Company would like to fly company flag and lower at half-staff in the instance of a death. Commissioners approve.

#### Ed Riggs:

- Discussed remaining funds for the current fiscal year.
- Reoccurring expenses: \$30K, \$10K chase, \$54K insurance, \$15K LOSAP, plus chief's requests (above).
- Insurance renewal: Loss ratio is the cause of consistent increase. Agent suggested increasing deductible to \$1000 to lower cost roughly \$3-4K. APPROVED
- Brought up questions regarding the reporting system and how the information is recorded. System needs streamlining.

# TRUMBULL CENTER FIRE DISTRICT

860 WHITE PLAINS ROAD



TRUMBULL, CONN. 06611

# **Adjournment:**

Meeting was adjourned at 8:45pm by Chairman Riggs. The next regular meeting will be at 7:00pm on July 11, 2024, at Station 2.

Minutes submitted by: S Mulligan, Secretary

Approved by: Trumbull Center Fire District Commissioners